L Number	Hits	Search Text	DB	Time stamp
1	96636		USPAT;	2003/05/07 11:05
{ -	-		US-PGPUB;	
			EPO; JPO	
2	22314	ferroelectric	USPAT;	2003/05/07 11:05
			US-PGPUB;	
			EPO; JPO	Į į
3	355131	matrix	USPAT;	2003/05/07 11:05
		•	US-PGPUB;	
			EPO; JPO	
4	166	passive with ferroelectric	USPAT;	2003/05/07 13:34
			US-PGPUB;	
			EPO; JPO	2222 /25 /25 11 25
5	1249356	sens\$3	USPAT;	2003/05/07 11:06
			US-PGPUB;	
	2662270		EPO; JPO	2002/05/07 11:06
6	2662378	reference	USPAT;	2003/05/07 11:06
			US-PGPUB;	
· 7	225091	sens\$3 same reference	EPO; JPO	2003/05/07 12:54
. 1	223091	Sensas same reference	USPAT; US-PGPUB;	2003/03/07 12:54
•			EPO; JPO	
! 8	2	(sens\$3 same reference) same (passive with	USPAT:	2003/05/07 11:16
}	2	ferroelectric)	US-PGPUB;	2003/03/07 11:10
İ			EPO; JPO	
9	346069	capacitor\$2	USPAT;	2003/05/07 12:17
	340003	cupacitoryz	US-PGPUB;	2003,03,0, 12:1,
			EPO; JPO	
10	4314	ferroelectric with capacitor\$2	USPAT;	2003/05/07 11:16
1	1311	TOTTOCTOCCTTO WICH Capacitory	US-PGPUB;	2000,00,0, 11110
			EPO; JPO	
11	3329	ferroelectric near3 capacitor\$2	USPAT;	2003/05/07 12:11
			US-PGPUB;	
}			EPO; JPO	
12	298	(ferroelectric near3 capacitor\$2) same	USPAT;	2003/05/07 11:17
		(sens\$3 same reference)	US-PGPUB;	
!			EPO; JPO	
13	117	sens\$3 with reference with (ferroelectric	USPAT;	2003/05/07 11:19
1		near3 capacitor\$2)	US-PGPUB;	
	1		EPO; JPO	
' 15	1	(sens\$3 with reference with (ferroelectric	USPAT;	2003/05/07 11:18
		near3 capacitor\$2)) same passive	US-PGPUB;	
	_		EPO; JPO	
16	1	,	USPAT;	2003/05/07 11:18
1		near3 capacitor\$2)) and passive	US-PGPUB;	
17	1040601	comparés	EPO; JPO	2003/05/07 11:20
17	1948691	compar\$5	USPAT; US-PGPUB;	2003/05/07 11:20
			EPO; JPO	
18	27	(sens\$3 with reference with (ferroelectric	USPAT;	2003/05/07 11:20
1		near3 capacitor\$2)) same compar\$5	US-PGPUB;	
		capacititi, bamo comparyo	EPO; JPO	
19	859147	memory	USPAT;	2003/05/07 11:33
1			US-PGPUB;	
]			EPO; JPO	
20	1454	memory near3 (ferroelectric near3	USPAT;	2003/05/07 11:41
		capacitor\$2)	US-PGPUB;	
Į		-	EPO; JPO	
່ 21	35	(memory near3 (ferroelectric near3	USPAT;	2003/05/07 12:12
	i	capacitor\$2)) with sens\$3 with reference	US-PGPUB;	
	]		EPO; JPO	
22	1454	(ferroelectric near3 capacitor\$2) near3	USPAT;	2003/05/07 12:12
1	Ì	memory	US-PGPUB;	
: _			EPO; JPO	
23	362		USPAT;	2003/05/07 12:13
		near2 cell	US-PGPUB;	
			EPO; JPO	
24	52	1 '	USPAT;	2003/05/07 12:14
i	1	memory near2 cell) same sens\$3 same	US-PGPUB;	
		reference	EPO; JPO	

25	9980	capacitor\$2 near2 memory	USPAT;	2003/05/07 12:18
	1		US-PGPUB;	
			EPO; JPO	
26	141	single near2 capacitor\$2 near2 memory	USPAT;	2003/05/07 12:19
		near2 cell	US-PGPUB;	
			EPO; JPO	
27	0	(single near2 capacitor\$2 near2 memory	USPAT;	2003/05/07 12:19
		near2 cell ) with sens\$3 with reference	US-PGPUB;	
			EPO; JPO	
28	541	memory near2 cell near2 ferroelectric	USPAT;	2003/05/07 12:20
	-	near2 capacitor\$2	US-PGPUB;	
			EPO; JPO	
29	80	(memory near2 cell near2 ferroelectric	USPAT;	2003/05/07 12:39
		near2 capacitor\$2 ) same sens\$3 same	US-PGPUB;	2003,03,0. 12.33
		reference	EPO; JPO	
30	1737	1	USPAT;	2003/05/07 12:40
30	1/3/	303/143	US-PGPUB;	2003/03/07 12.40
	1		EPO; JPO	
31	564	365/145 and (sens\$3 same reference)	1	2003/05/07 12:41
	364	363/143 and (sensas same reference)	USPAT;	2003/05/07 12:41
			US-PGPUB;	
32		265 /145 223 /22262 2344 225222 2344	EPO; JPO	0000 (05 (07 10 41
32	94	1	USPAT;	2003/05/07 12:41
		(ferroelectric near3 capacitor\$2))	US-PGPUB;	
2.2	100050	22	EPO; JPO	
33	122059	sens\$3 with reference	USPAT;	2003/05/07 12:55
			US-PGPUB;	
			EPO; JPO	
34	564		USPAT;	2003/05/07 13:25
		reference))	US-PGPUB;	1
			EPO; JPO	
38	. 22	passive near2 ferroelectric	USPAT;	2003/05/07 13:30
			US-PGPUB;	
			EPO; JPO	1
39	9	(passive with ferroelectric) same sens\$3	USPAT;	2003/05/07 13:36
			US-PGPUB;	
			EPO; JPO	
40	28349	sample/hold or (sample near2 hold)	USPAT;	2003/05/07 13:36
			US-PGPUB;	
			EPO; JPO	
41	7	ferroelectric same (sample/hold or (sample	USPAT;	2003/05/07 13:45
		near2 hold))	US-PGPUB;	
	į		EPO; JPO	
43	! 48	5086412.URPN.	USPAT	2003/05/07 13:40

